

# COLOURS AND TRIMS

STYLE YOUR TRITON



PLATOON (M)



RED PLANET (M)



CYBER BLUE (P)\*



BLACK (P)



WHITE



COOL SILVER (M)



GUNMETAL (M)

Metallic (M) and Pearlescent (P) paints are optional extras.

\*Cyber Blue only available on VR, GLX-R and GLS.

CLOTH (GL + GLX)



SPORTS CLOTH (VR + GLX-R)



LEATHER (GLS)



# TRITON SPECIFICATIONS



| Engine   | 2.4L 4 Cyl, SOHC, 16 Valve Petrol with 'Balance Shaft'   | 3.5L V6, SOHC, 24 Valve Petrol                  | 2.5L 4 Cyl, DOHC, 16 Valve Common Rail Diesel with Intercooled Turbocharger | 3.2L 4 Cyl, DOHC, 16 Valve Common Rail Diesel with Intercooled Turbocharger |
|--|--|---|---|---|
| Engine code  | 4G64   | 6G74  | 4D56  | 4M41  |
| Bore x stroke  | 86.5mm x 100.0mm   | 93.0mm x 85.5mm                                 | 91.1mm X 95.0mm   | 98.5mm x 105.0mm  |
| Capacity   | 235lcc   | 3497cc  | 2477cc  | 3200cc  |
| Compression ratio  | 9.0:1  | 9.0:1   | 17.0:1  | 17.0:1  |
| Fuel system  | Electronically controlled multi point injection  | Electronically controlled multi point injection | Common Rail Direct Injection  | Common Rail Direct Injection  |
| Maximum power  | 94kW @ 5250rpm   | 135kW @ 4750rpm                                 | 100kW @ 3800rpm   | 118kW @ 3800rpm   |
| Maximum torque   | 194Nm @ 4000rpm  | 309Nm @ 3500rpm                                 | 314Nm @ 2000rpm   | 343Nm @ 2000rpm   |
| <b>Electrical System</b>   |  |   |   |   |
| Battery  | 55D23L   | 75D23L  | 95D31L  | 95D31L  |
| Alternator   | 12V-90A  | 12V-120A  | 12V-90A   | 12V-90A   |
| <b>Clutch</b>  |  |   |   |   |
| Manual   | Dry single disc clutch with diaphragm spring, hydraulic acton  |   |   |   |
| Automatic  | 3 element torque converter with lock-up and transmission oil cooler  |   |   |   |
| <b>Drive Transfer System (4WD models only)</b>   |  |   |   |   |
| Type   | "Easy Select" part time 4WD auto front free-wheel differential with synchromesh (GLX)  |   |   |   |
| Type   | "Super Select" full time 4WD with selectable 2WD mode with synchronised auto front free wheeling differential (VR, GLX-R and GLS Fastback) |   |   |   |
| <b>Four Wheel Power Assisted Brakes</b>  |  |   |   |   |
| Front  | Ventilated discs, single piston calipers   |   |   |   |
| Rear   | Drums, leading and trailing shoes with Load Sensing Proportioning Valve  |   |   |   |
| ABS with EBD available on all models (When fitted, ABS with EBD replaces Load Sensing Proportioning Valve) |  |   |   |   |
| <b>Suspension</b>  |  |   |   |   |
| Front  | Front double wishbone with coil & front stabilizer   |   |   |   |
| Rear   | Rigid - elliptic leaf spring   |   |   |   |
| <b>Steering</b>  |  |   |   |   |
| Power assisted rack and pinion steering  |  |   |   |   |
| <b>Fuel Tank</b>   |  |   |   |   |
| Capacity   | 75L  |   |   |   |
| Wheels and Tyres   | GL / GLX (4 Cyl petrol)  | GLX   | VR  | GLX-R/GLS Fastback  |
| Wheel type   | Steel - 16" X 6"   | Steel - 16" X 6"                                | Alloy - 16" X 7"  | Alloy - 17" X 7"  |
| Tyres*   | 205/80R16 104S^  | 205R16C 110/108R 8PR                            | 245/70R16 111S RF   | 245/65R17 111S RF   |

\*The tyres fitted to your Triton are designed primarily for use on sealed roads. If your Triton is to be driven mainly on unsealed roads, please consult your Mitsubishi dealer for advice on appropriate tyre selection. ^ Up to August 2008 production, these vehicles have 205R16C 110/108R 8PR tyres.



| Transmission - Petrol              | 4 Cyl Manual GL | V6 Manual GLX | V6 Manual VR/GLX-R               | V6 Auto VR/GLX-R               |
|------------------------------------|-----------------|---------------|----------------------------------|--------------------------------|
| <b>Ratios</b>                      |                 |               |                                  |                                |
| First                              | 3.967           | 4.313         | 4.313                            | 2.842                          |
| Second                             | 2.136           | 2.330         | 2.330                            | 1.495                          |
| Third                              | 1.360           | 1.436         | 1.436                            | 1.000                          |
| Fourth                             | 1.000           | 1.000         | 1.000                            | 0.731                          |
| Fifth                              | 0.856           | 0.789         | 0.789                            | -                              |
| Reverse                            | 3.578           | 4.220         | 4.220                            | 2.720                          |
| <b>Transfer Ratio (4 x 4 only)</b> |                 |               |                                  |                                |
| High                               | n/a             | 1.000         | 1.000                            | 1.000                          |
| Low                                | n/a             | 1.900         | 1.900                            | 1.900                          |
| <b>Final Drive</b>                 |                 |               |                                  |                                |
| Final Gear Ratio                   | 4.875           | 4.100         | 4.300                            | 4.300                          |
| Transmission - Diesel              | CDi Manual GLX  | CDi Auto GLX  | CDi Manual VR/GLX-R/GLS Fastback | CDi Auto VR/GLX-R/GLS Fastback |
| <b>Ratios</b>                      |                 |               |                                  |                                |
| First                              | 4.313           | 2.842         | 4.313                            | 2.842                          |
| Second                             | 2.330           | 1.495         | 2.330                            | 1.495                          |
| Third                              | 1.436           | 1.000         | 1.436                            | 1.000                          |
| Fourth                             | 1.000           | 0.731         | 1.000                            | 0.731                          |
| Fifth                              | 0.789           | -             | 0.789                            | -                              |
| Reverse                            | 4.220           | 2.720         | 4.220                            | 2.720                          |
| <b>Transfer Ratio (4 x 4 only)</b> |                 |               |                                  |                                |
| High                               | 1.000           | 1.000         | 1.000                            | 1.000                          |
| Low                                | 1.900           | 1.900         | 1.900                            | 1.900                          |
| <b>Final Drive</b>                 |                 |               |                                  |                                |
| Final Gear Ratio                   | 3.917           | 3.917         | 4.100                            | 4.100                          |
| Fuel Economy**                     | Manual          |               | Automatic                        |                                |
| <b>ADR 81/01 Test (L/100km)</b>    |                 |               |                                  |                                |
| 4x2 2.4L Models                    | 10.9            |               | -                                |                                |
| 4x2 3.5L V6 Models                 | 12.2            |               | 12.4                             |                                |
| 4x2 2.5L CDi Models                | 8.5             |               | 9.1                              |                                |
| 4x4 3.5L V6 Models                 | 12.9            |               | 13.0                             |                                |
| 4x4 3.2L CDi Models                | 9.1             |               | 9.9                              |                                |

\*\* These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/01 and are provided to assist you in comparing the fuel consumption of Triton with other vehicles. The actual fuel consumption you achieve will depend, however, on many factors, including your driving habits, the prevailing conditions and your vehicles equipment, condition and use.



| Weights and Capacities 4 x 2 (kg) | Gross Combination Mass |          |         | Gross Vehicle Mass |          |         | Kerb Mass  |               |               | Maximum Payload* |               |               |
|-----------------------------------|------------------------|----------|---------|--------------------|----------|---------|------------|---------------|---------------|------------------|---------------|---------------|
|                                   | 2.4L 4 Cyl             | 2.5L CDI | 3.5L V6 | 2.4L 4 Cyl         | 2.5L CDI | 3.5L V6 | 2.4L 4 Cyl | 2.5L CDI      | 3.5L V6       | 2.4L 4 Cyl       | 2.5L CDI      | 3.5L V6       |
|                                   |                        |          |         |                    |          |         | 5 MT       | 5 MT / 4AT    | 5 MT / 4AT    | 5 MT             | 5 MT / 4AT    | 5 MT / 4AT    |
| 4x2 GL Cab-Chassis                | 4,480                  | -        | -       | 2,750              | -        | -       | 1,396      | -             | -             | 1,355            | -             | -             |
| 4x2 GL Single Cab Utility         | 4,480                  | -        | -       | 2,750              | -        | -       | 1,545      | -             | -             | 1,205            | -             | -             |
| 4x2 GLX Cab-Chassis               | -                      | 5,175    | 4,975   | -                  | 2,750    | 2,750   | -          | 1,547 / 1,562 | 1,483 / 1,498 | -                | 1,204 / 1,189 | 1,268 / 1,253 |
| 4x2 GLX Single Cab Utility        | -                      | 5,175    | 4,975   | -                  | 2,750    | 2,750   | -          | 1,693 / 1,707 | 1,628 / 1,643 | -                | 1,057 / 1,044 | 1,123 / 1,108 |
| 4x2 GLX Double Cab Utility        | 4,450                  | 5,185    | 4,945   | 2,720              | 2,760    | 2,720   | 1,656      | 1,807 / 1,817 | 1,745 / 1,755 | 1,065            | 954 / 944     | 976 / 966     |

| Weights and Capacities 4 x 4 (kg)   | Gross Combination Mass |          | Gross Vehicle Mass |          | Kerb Mass     |               | Maximum Payload* |               |
|-------------------------------------|------------------------|----------|--------------------|----------|---------------|---------------|------------------|---------------|
|                                     | 3.5L V6                | 3.2L CDI | 3.5L V6            | 3.2L CDI | 3.5L V6       | 3.2L CDI      | 3.5L V6          | 3.2L CDI      |
|                                     |                        |          |                    |          | 5 MT / 4AT    | 5 MT / 4AT    | 5 MT / 4AT       | 5 MT / 4AT    |
| 4x4 GLX Cab-Chassis                 | 5,000                  | 5,200    | 2,840              | 2,930    | 1,575 / -     | 1,685 / 1,700 | 1,265 / -        | 1,245 / 1,230 |
| 4x4 GLX Single Cab Utility          | 5,000                  | 5,200    | 2,840              | 2,930    | 1,734 / -     | 1,854 / -     | 1,107 / -        | 1,077 / -     |
| 4x4 GLX Double Cab Utility          | 5,000                  | 5,200    | 2,840              | 2,930    | 1,735 / -     | 1,845 / 1,855 | 1,105 / -        | 1,085 / 1,075 |
| 4x4 GLX Double Cab-Chassis          | 5,000                  | 5,200    | 2,840              | 2,930    | 1,835 / -     | 1,945 / 1,955 | 1,005 / -        | 985 / 975     |
| 4x4 VR Double Cab Utility           | 5,000                  | 5,200    | 2,845              | 2,940    | 1,855 / 1,865 | 1,950 / 1,960 | 990 / 980        | 990 / 980     |
| 4x4 GLX-R Double Cab Utility        | 5,000                  | 5,200    | 2,845              | 2,940    | 1,915 / 1,925 | 2,010 / 2,020 | 930 / 920        | 930 / 920     |
| 4x4 GLS Fastback Double Cab Utility | -                      | 5,200    | -                  | 2,940    | -             | 2,060 / 2,070 | - / -            | 880 / 870     |

\* Payload includes occupants, fuel and fitted options (if any). The weight of these must be deducted from payload to determine actual load carrying capacity. Front and/or rear axle loads must not be exceeded.


| Capacities                                       | 4x2        | 4x2     | 4x2      | 4x4      | 4x4     |
|--|------------|---------|----------|----------|---------|
|  | 2.4L 4 Cyl | 3.5L V6 | 2.5L CDI | 3.2L CDI | 3.5L V6 |
| Towing Capacity** (kg)                           |            |         |          |          |         |
| Maximum towing capacity (with trailer brakes)    | 1,800      | 2,300   | 2,500    | 2,500    | 2,300   |
| Maximum towing capacity (without trailer brakes) | 750        | 750     | 750      | 750      | 750     |
| Maximum towball download                         | 180        | 230     | 250      | 250      | 230     |
| Axle Mass (kg)                                   |            |         |          |          |         |
| Maximum front axle load                          | 1,250      | 1,250   | 1,250    | 1,260    | 1,260   |
| Maximum rear axle load                           | 1,800      | 1,800   | 1,800    | 1,800    | 1,800   |

\*\* Subject to state regulations and towbar design.

| Seating Capacities                    | Single Cab | Double Cab |
|---------------------------------------|------------|------------|
| Manual models                         | 3          | 5          |
| Manual models with sports seat option | 2          | n/a        |
| Automatic models                      | 2          | 5          |
| Turning Circle                        | All Models |            |
| Metres (kerb to kerb)                 | 11.8       |            |

| Dimensions                                    | Single Cab GL/GLX | Double Cab |       |       |              |
|---|-------------------|------------|-------|-------|--------------|
|   |                   | GLX        | VR    | GLX-R | GLS Fastback |
| Overall height (mm)                           | 1,775             | 1,775      | 1,780 | 1,780 | 1,780        |
| Overall length - with pickup body fitted (mm) | 5,030             | 5,030      | 4,995 | 5,174 | 5,120        |
| Overall width (mm)                            | 1,750             | 1,750      | 1,800 | 1,800 | 1,800        |
| Ground clearance (mm)                         | 200               | 200        | 205   | 205   | 205          |
| Track - front (mm)                            | 1,505             | 1,505      | 1,520 | 1,520 | 1,520        |
| Track - rear (mm)                             | 1,500             | 1,500      | 1,515 | 1,515 | 1,515        |
| Wheelbase (mm)                                | 3,000             | 3,000      | 3,000 | 3,000 | 3,000        |
| Approach angle (degrees)                      | 33                | 33         | 33    | 33    | 33           |
| Departure angle (degrees)                     | -                 | 29         | 29    | 29    | 29           |
| Ramp breakover angle (degrees)                | 27                | 27         | 27    | 27    | 27           |
| Cargo bed (where fitted) (mm)                 | Single Cab        | Double Cab |       |       |              |
| Cargo bed between arches                      | 1,085             | 1,085      |       |       |              |
| Cargo bed - floor height                      | 845               | 845        |       |       |              |
| Cargo bed - height                            | 405               | 405        |       |       |              |
| Cargo bed - length                            | 2,220             | 1,325      |       |       |              |
| Cargo bed - width                             | 1,470             | 1,470      |       |       |              |




|  | 4x2 Models |            |            |            |            |            | 4x4 Models |            |            |       |              |
|--|------------|------------|------------|------------|------------|------------|------------|------------|------------|-------|--------------|
|  | 4 Cylinder |            | V6         |            | 2.5L CDI   |            | V6/CDI     |            |            |       |              |
|  | GL         | GLX        | GLX        |            | GLX        |            | GLX        |            | VR         | GLX-R | GLS Fastback |
|  | Single Cab | Double Cab | Single Cab | Double Cab | Single Cab | Double Cab | Single Cab | Double Cab | Double Cab |       |              |

| Interior Continued  |            |   |    |   |          |   |        |     |    |       |              |
|---|------------|---|----|---|----------|---|--------|-----|----|-------|--------------|
| Function  | 4 Cylinder |   | V6 |   | 2.5L CDI |   | V6/CDI |     | VR | GLX-R | GLS Fastback |
| Electric sunroof  | -          | - | -  | - | -        | - | -      | -   | -  | -     | S            |
| Power mirrors   | -          | S | -  | S | -        | S | -      | S   | S  | S     | S            |
| Central locking with remote keyless entry   | S          | S | S  | S | S        | S | S      | S   | S  | S     | S            |
| Power windows - front & rear with driver auto down function   | S          | S | S  | S | S        | S | S      | S   | S  | S     | S            |
| Rear power window (with switch on centre console) - with auto up and down function                          | -          | - | -  | - | -        | - | -      | -   | S  | S     | S            |
| Front wipers with 2 speeds and variable intermittent  | S          | S | S  | S | S        | S | S      | S   | S  | S     | S            |
| Headlamps "ON" audible warning buzzer   | S          | S | S  | S | S        | S | S      | S   | S  | S     | S            |
| Instrument lamp variable dimming control  | S          | S | S  | S | S        | S | S      | S   | S  | S     | S            |
| Digital clock in headlining   | S          | S | S  | S | S        | S | S      | S   | -  | -     | -            |
| Accessory socket in console - 12V   | P          | S | P  | S | P        | S | P      | S   | S  | S     | S            |
| Steering column - tilt adjustable   | S          | S | S  | S | S        | S | S      | S   | S  | S     | S            |
| Steering lock   | S          | S | S  | S | S        | S | S      | S   | S  | S     | S            |
| Analogue instrumentation includes - speedometer with tripmeter; tachometer, fuel & water temperature gauges | S          | S | S  | S | S        | S | S      | S   | S  | S     | S            |
| Low fuel warning lamp   | S          | S | S  | S | S        | S | S      | S   | S  | S     | S            |
| 4WD indicator lamp  | -          | - | -  | - | -        | - | S      | S   | S  | S     | S            |
| Automatic transmission position indicator lamp  | -          | - | O  | O | O        | O | O**    | O** | O  | O     | S            |
| Seatbelt warning lamp with timer  | S          | S | S  | S | S        | S | S      | S   | S  | S     | S            |

| Storage                                      |   |   |   |   |   |   |   |   |   |   |   |
|--|---|---|---|---|---|---|---|---|---|---|---|
| Glove compartment - illuminated and lockable | S | S | S | S | S | S | S | S | S | S | S |
| Centre console storage box                   | P | S | P | S | P | S | P | S | S | S | S |
| In-dash storage box with lid                 | S | S | S | S | S | S | S | S | - | - | - |
| Storage pocket in doors                      | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Bottle holder                                | 2 | 4 | 2 | 4 | 2 | 4 | 2 | 4 | 4 | 4 | 4 |

| Style  |   |   |   |   |   |   |   |   |   |   |   |
|--|---|---|---|---|---|---|---|---|---|---|---|
| Alloy sports pedals (manual transmission only)           | A | A | A | A | A | A | A | A | A | S | - |
| Floor covering - vinyl (manual transmission only)        | S | S | S | S | S | S | S | S | - | - | - |
| Floor covering - carpet (manual transmission only)       | P | - | P | - | P | - | P | - | S | S | S |
| Floor covering - carpet (automatic transmission only)    | - | - | S | S | S | S | S | S | S | S | S |
| Carpet mats with GLX-R logo                              | - | - | - | - | - | - | - | - | - | S | - |
| Protective floor mats - rubber or carpet                 | A | A | A | A | A | A | A | A | A | A | A |
| Titanium look instrument panel and surrounds             | - | - | - | - | - | - | - | - | S | S | S |
| Chrome interior door handles                             | - | - | - | - | - | - | - | - | S | S | S |
| Leather bound steering wheel                             | - | - | - | - | - | - | - | - | - | S | S |
| Leather bound gearshift lever (manual transmission only) | A | A | A | A | A | A | A | A | A | S | - |
| Leather bound 4WD transfer-shift lever                   | - | - | - | - | - | - | A | A | A | S | S |

\*\*Automatic transmission available on 3.2L Diesel models only.

|  | 4x2 Models |            |            |            |            |            | 4x4 Models |            |            |       |              |
|---|------------|------------|------------|------------|------------|------------|------------|------------|------------|-------|--------------|
|   | 4 Cylinder |            | V6         |            | 2.5L CDI   |            | V6/CDI     |            |            |       |              |
|   | GL         | GLX        | GLX        |            | GLX        |            | GLX        |            | VR         | GLX-R | GLS Fastback |
|   | Single Cab | Double Cab | Single Cab | Double Cab | Single Cab | Double Cab | Single Cab | Double Cab | Double Cab |       |              |

| Interior Continued   |            |   |    |   |          |   |        |   |    |       |              |
|--|------------|---|----|---|----------|---|--------|---|----|-------|--------------|
| Seating  | 4 Cylinder |   | V6 |   | 2.5L CDI |   | V6/CDI |   | VR | GLX-R | GLS Fastback |
| Front seat split bench with slide & recline function (driver side) - manual transmission       | S          | - | S  | - | S        | - | S      | - | -  | -     | -            |
| Front sports seats with slide & recline function (driver & passenger) - manual transmission    | P          | S | P  | S | P        | S | P      | S | S  | S     | S            |
| Front sports seats with slide & recline function (driver & passenger) - automatic transmission | -          | - | S  | S | S        | S | S      | S | S  | S     | S            |
| Front seat adjustable seat belt anchors  | -          | - | -  | - | -        | - | -      | - | S  | S     | S            |
| Rear seat headrests  | -          | S | -  | S | -        | S | -      | S | S  | S     | S            |
| Seat trim - cloth (dark grey)  | S          | S | S  | S | S        | S | S      | S | -  | -     | -            |
| Seat trim - sports cloth   | -          | - | -  | - | -        | - | -      | - | S  | S     | -            |
| Seat trim - leather seat facings   | -          | - | -  | - | -        | - | -      | - | -  | -     | S            |
| Power driver seat with slide, recline, and dual height function                                | -          | - | -  | - | -        | - | -      | - | -  | -     | S            |
| Rear centre arm rest with cupholder  | -          | - | -  | - | -        | - | -      | - | S  | S     | S            |
| Convenience hooks  | 1          | 2 | 1* | 2 | 1*       | 2 | 1      | 2 | 2  | 2     | 2            |

\*Automatic models have 2 x convenience hooks.

| Media   |   |   |   |   |   |   |   |   |   |      |      |
|---|---|---|---|---|---|---|---|---|---|------|------|
| Multi function display with clock (includes date), outside temperature display, compass, barometer, altimeter | - | - | - | - | - | - | - | - | S | S    | S    |
| Trip computer in multi function display with range to empty & average fuel consumption functions              | - | - | - | - | - | - | - | - | S | S    | S    |
| AM/FM radio/CD tuner with MP3 compatibility   | S | S | S | S | S | S | S | S | S | S    | S    |
| Mitsubishi Power Sound System   | - | - | - | - | - | - | - | - | - | S*   | S*   |
| Audio information in multi function display   | - | - | - | - | - | - | - | - | S | S    | S    |
| Speakers  | 2 | 4 | 2 | 4 | 2 | 4 | 2 | 4 | 4 | 6/8* | 6/8* |
| Bluetooth® hands free phone operation   | A | A | A | A | A | A | A | A | A | S    | S    |

\*6 speakers for V6 models, 8 speakers for CDI models. \*CDI only.

| Safety and Security                              |   |   |   |   |   |   |   |   |   |   |   |
|--|---|---|---|---|---|---|---|---|---|---|---|
| Driver & passenger SRS airbags                   | S | S | S | S | S | S | S | S | S | S | S |
| ABS with EBD                                     | O | O | S | S | S | S | O | O | S | S | S |
| Load Sensing Proportioning Valve                 | S | S | - | - | - | - | S | S | - | - | - |
| Side door impact beams                           | S | S | S | S | S | S | S | S | S | S | S |
| Child proof rear door lock                       | - | S | - | S | - | S | - | S | S | S | S |
| Child restraint anchorage                        | S | S | S | S | S | S | S | S | S | S | S |
| Halogen headlamps                                | S | S | S | S | S | S | S | S | S | S | S |
| Illuminated hazard switch                        | S | S | S | S | S | S | S | S | S | S | S |
| Driver & front passenger seat belt pretensioners | S | S | S | S | S | S | S | S | S | S | S |
| Fuel lid opener - key locked                     | S | - | S | - | S | - | S | - | - | - | - |
| Fuel lid opener - remote                         | - | S | - | S | - | S | - | S | S | S | S |

S: standard O: optional A: accessory P: option pack -: not available

Always consult your authorised Mitsubishi Dealer for the latest details on specifications, options, prices, availability and conditions on New Vehicle Warranty. All product illustrations and specifications referred to herein are believed to be correct at the time of publication approval. Subject to any applicable Federal, State or Territory Laws or ordinances, which may apply from time to time, Mitsubishi Motors Australia Limited reserves the right, without notice, or obligation, to discontinue or make changes to designs, specifications, colours and materials of the options and products referred to herein at any time without incurring any liability to any purchaser thereof. © Mitsubishi Motors Australia Limited. ABN 53 007 870 395. TRIO608. MIT2837.

# ACCESSORIES

## TRITON ACCESSORIES



- 1** SOFT TONNEAU COVER
- 2** SPORTS BAR
- 3** ROOF RACK
- 4** WEATHERSHIELD
- 5** REAR PROTECTION BAR - ALLOY
- 6** 4WD TOWBAR 2300KG/230KG (ALSO SHOWING  
OPTIONAL TOWBALL AND CHROME COVER)  
2WD TOWBAR 1800KG/180KG ALSO AVAILABLE
- 7** "4X4" TAILGATE DECAL
- 8** HEADLIGHT PROTECTOR
- 9** BONNET PROTECTOR

- 10** WINDSCREEN SUNSHADE FILM
- 11** LUGGAGE CASE
- 12** SIDE BAR
- 13** 16" "VIKING" ALLOY WHEELS
- 14** FRONT PROTECTION BAR - ALLOY\*
- 15** DRIVING LIGHTS